

next 5 sc, 5 hdc in ch sp; rep from \* across ending with 3 hdc in last ch sp, hdc in last 2 hdc—145 (185, 225, 265) hdc.

**Row 4:** Beg on WS row, work Rows 1–7 of trinity lace patt (see Stitch Guide), then rep Rows 2–6 once (for a total of 12 rows). (Note: Row 6 of trinity lace patt is the establishing row of the uneven parallel lace patt, shown in gray in the chart on p. 45.) Work in uneven parallel lace patt (see Stitch Guide) for 4 rows.

## BODY SHAPING

Work short rows as foll: (Note: Each sc, hdc, dc, or ch counts as 1 st.)

**Row 1:** (RS) Work across 80 (110, 120, 150) sts in est patt ending with ch-5, work RS short-row shaping as foll: dc in next sc, ch 1, sk next sc, sc in next sc, sl st in next sc, turn.

**Row 2:** (WS) Sc in next (sc, ch, and dc), cont in est patt over next 15 sts, ending with ch-5, work WS short-row shaping as foll: sc in next 3 sc, sl st in next sc, turn.

**Row 3:** Ch 1, sc in next sc, ch 1, sk next sc, dc in next sc, cont in est patt, working 10 sts past prev RS short-row shaping, ending with ch-5, rep RS short-row shaping as for Row 1, turn.

**Row 4:** Sc in next (sc, ch, and dc), cont in est patt, working 10 sts past previous WS short-row shaping, ending with ch-5, rep WS short-row shaping as for Row 2, turn.

Work Rows 3–4 of Body Shaping 5 (7, 9, 11) more times to work each “ladder” section.

Work Row 1 of Uneven Parallel Lace patt, place safety pin in last st. Work Row 2 of Uneven Parallel Lace patt.

## BEGIN BACK

**Row 1:** (RS) Work 90 (115, 140, 165) sts in est patt, hdc in next st, place marker (pm) in last st, turn.

**Next row:** (WS) Ch 2, cont in est patt across next 35 (45, 55, 65) sts, hdc in next st, pm in last st, turn.

Cont working these 37 (47, 57, 67) sts (Center Back sts) in patt as established for a total of 14 (18, 22, 26) rows, ending with a WS row. Fasten off.

## ARMHOLE

With WS facing, join yarn at m at lower-left back “corner” (point where back began), do not remove m. Work 15 (20, 20, 25) sc evenly along row ends of back to top of back, ch 40 (55, 55, 70), sl st in st marked with safety pin (left armhole formed), do not remove pin. Cont across bottom edge of armhole toward first m, dec as foll: sc in next 8 (0, 3, 5) sts, [sc2tog (see Glossary) over next 2 sts] 20 (35, 40, 45) times, sc in next 7 (0, 2, 5) sts—35 (35, 45, 55) sc rem along bottom armhole edge. Sc to first m, sl st in first sc to join—90 (110, 120, 150) sts.

## LEFT SLEEVE

The lace patt used in the sleeve is similar to the uneven parallel lace used in the body except ch-5 sps are replaced with ch-7 sps.

**Rnd 1:** Turn work so RS is facing, ch 1, [sc in next 5 sts, ch 7, sk 5 sc] 9 (11, 12, 15) times, sl st in first sc to join.

**Rnd 2:** Ch 3 (counts as dc here and throughout), [ch 1, sk next sc, dc in next st] 2 times, \*ch 7, dc in next sc, [ch 1, sk next sc, dc in next st] 2 times; rep from \* around, sl st in beg ch-3 to join.

**Rnd 3:** Ch 1, sc in first dc, [sc in next ch sp, sc in next dc] 2 times, ch 7, \*[sc in next dc, sc in next ch sp] 2 times, sc in next dc, ch 7; rep from \* around, sl st in first sc to join.

Rep Rnds 2–3 once, then work in patt as established to beg of 5-sc section closest to the top of sleeve. Beg 6-row short-row repeat as foll:

**Row 1:** (RS) Ch 3, [ch 1, sk next sc, dc in next st] 2 times, ch 7, dc in next sc, ch 1, sk next sc, sl st in next sc, turn.

**Row 2:** (WS) Sk sl st, sc in next ch-1 sp, sc in next dc, ch 7, [sc in next dc, sc in next ch sp] 2 times, sc in next dc,