



WRISTERS (Make 2)

Ch 38, being careful not to twist, join with slip st in first ch to form ring.

Rnd 1: Ch 2, dc in same st as join and in each ch across, slip st in first st to join. (38 sts, not including turning ch)
Rnd 2: Ch 2, [fpdc, bpdc] around, fpdc around turning ch, slip st in first st to join. (40 sts, including turning ch)
Rnd 3: Ch 2, [fpdc, bpdc] around, fpdc in last st, slip st in first st to join.

Rnd 4: (Wheat Cable) Ch 2, [sk 2 sts, fptr in next 2 sts, working behind last 2 sts, fptr in 2 skipped sts, sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc in next 2 sts] around to last st, fpdc around last st and turning ch, slip st in first st to join, turn. (41 sts)

Rnd 5: Ch 2, bpdc around, slip st in first st to join, turn.
Rnd 6: Ch 10 (for thumb hole), sk next 8 sts (cable), fpdc in next 2 sts, [sk 2 sts, fptr in next 2 sts, working behind last 2 sts, fptr in 2 skipped sts, sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc in next 2 sts] around, join with slip st to 3rd ch of ch loop, turn.

Rnd 7: Ch 2, bpdc around, 8 dc in ch-10 sp, slip st in first st to join, turn.


Rnds 8–27: Repeat Rnds 4 and 5 ten more times.

Rnd 28: Repeat Rnd 2. (42 sts)

Rnds 29–31: Repeat Row 3. Fasten off at the end of Rnd 31.

FINISHING

Weave in loose ends.



BAG

Using larger hook, ch 52.

Rnd 1: Note: This round will be worked on BOTH sides of the foundation chain. Dc in the 3rd ch from hook and in each ch across to last ch, work 4 dc in last ch, rotate 180 degrees to continue on the opposite side of the foundation ch, dc in each ch across to last st, work 3 dcs in last ch, slip st to join in top of first st of rnd, do not turn.
(100 sts)

Rnd 2: Ch 2, * [sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in skipped sts] 12 times, 2 fpdc; repeat from * once more, slip st to join in first st of rnd, turn.

Rnd 3: Ch 2, * 2 bpd, 16 bpd, (Celtic Weave) 2 bptr [sk 2 sts, bptr in next 2 sts, working behind last 2 sts (will appear crossed on front side), bptr in 2 skipped sts] 3 times, 2 bptr, 16 bpd; repeat from * once more, slip st to join in turning ch, turn.

Rnds 4–9: Repeat Rnds 2 and 3 three more times.

Rnd 10: Repeat Rnd 2.

Rnd 11: Ch 2, * 2 bpd, 2 bptr [sk 2 sts, bptr in next 2 sts, working behind last 2 sts, bptr in 2 skipped sts] 3 times, 2 bptr, 16 bpd, 2 bptr, [sk 2 sts, bptr in next 2 sts, working behind last 2 sts, bptr in 2 skipped sts] 3 times, 2 bptr; repeat from * once more, slip st to join in turning ch, turn.

Rnds 12–17: Repeat Rnds 10 and 11 three more times.

Rnds 18–25: Repeat Rnds 2 and 3 four more times.



FLAP

Row 26: Continuing from Rnd 25, ch 2, [sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in skipped sts] 12 times, dc in sp between last st and next st, turn, leaving rem sts unworked. (49 sts)

Row 27: Ch 2, 16 bpd, 2 bptr, [sk 2 sts, bptr in next 2 sts, working behind last 2 sts, bptr in 2 skipped sts] 3 times, 2 bptr, 16 bpd, dc in turning ch, turn.

Row 28: Ch 2, [sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in skipped sts] 12 times, dc in turning ch.

Row 29: Rep Row 27.

Rows 30–35: Repeat Rows 28 and 29 three more times.

Row 36: Repeat Row 28 once more.

Row 37: (Buttonhole row) Ch 2, 16 bpd, 2 bptr, sk next 2 sts, bptr in next 2 sts, working behind last 2 sts, bptr in 2 skipped sts once, ch 6, sk 6 sts, bptr in next 2 sts, working in front of last 2 sts, bptr in 2 skipped sts (closest to last 2 just worked), bptr in next 2 sts, 16 bpd, dc in turning ch.

Change to smaller hook.

Row 38: Ch 1, sc in each st across end of flap, [work (sc, ch 1, sc) in corners], down side of flap, across opening of bag, and up other edge of flap, slip st to join in first sc. Do not turn.

Row 39: Ch 1, slip st in each st around flap and opening of bag, slip st to join in first slip st. Finish off.

STRAP

Using larger hook, ch 9.

Row 1: Dc in 3rd ch from hook and in each ch, turn.
(7 sts)

Row 2: Ch 2, fpdc, skip 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc, dc in turning ch, turn.

Row 3: Ch 2, 6 bpd, dc in turning ch, turn.

Rows 4–75: Repeat Rows 2 and 3 thirty-five more times or until strap reaches desired length. Finish off at the end of last row.

FINISHING

Weave in loose ends.

It is best to attach the lining to the bag and strap before assembling the bag. For bag lining, measure bag and flap



FERGUS SHRUG



If you've never crocheted a garment before, this is a wonderful place to start. This design embodies a simple construction and only two short seams to crochet together.

SKILL LEVEL

Intermediate

YARN

DK (#3) weight.

Shown here: Cestari Montpelier Collection (67% cotton, 25% wool, 8% silk; 230 yds [210 m]/100 g): #177008 Palm Tree, 5 [5, 5, 5, 6, 7, 7] skeins.

HOOKS

Size H/8 (5 mm).

Adjust hook size if necessary to obtain gauge.

NOTIONS

Yarn needle.

SIZES/ FINISHED DIMENSIONS

XS (S, M, L, XL, 2X, 3X). See schematics for specific measurements.

GAUGE

15 sts = 4" (10 cm), 3 rows = 1" (2.5 cm) in ribbing pattern (fpdc, bpdc).

SPECIAL STITCHES

Four-Stitch Cable

Row 1: Sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in skipped sts.

Row 2: Bpdc in next 4 sts.

Row 3: Repeat Row 1.

Row 4: Repeat Row 2.

Large Wheat Cable

Row 1: Hdc, sk 3 sts, hdc, 3 fptr, working behind last 3 sts and hdc, fptr in first 3 skipped sts, hdc in next st along row, sk 3 sts, hdc, 3 fptr, working in front of last 3 sts, fptr in 3 skipped sts, hdc.

Row 2: Hdc, [3 bpdc, hdc between last st and next st (at center of cable), 3 bpdc, sk next hdc, hdc in next hdc] twice.

Row 3: Hdc, [3 fpdc, hdc] 4 times.

Row 4: Hdc, [3 bpdc, hdc] 4 times.

PATTERN NOTES

Ch 2 at the beginning of each row, turn at the end of each row.

Turning chain does not count as a stitch in the stitch count.

Pattern contains fpdc, fptr, bpdc, and bptr. Be very careful to follow pattern accordingly.

Hdc are not post stitches and are worked in the normal fashion of inserting the hook into the top loops of the stitch.

Row 2: Ch 2, 2 bpdc, work Row 2 of 4-St Cable, 2 bpdc, [work Row 2 of Large Wheat Cable, 2 bpdc, work Row 2 of 4-St Cable, 2 fpdc] 3 times, hdc in turning ch.

Row 3: Ch 2, 2 fpdc, work Row 3 of 4-St Cable, 2 fpdc, [work Row 3 of Large Wheat Cable, 2 fpdc, work Row 3 of 4-St Cable, 2 fpdc] 3 times, hdc in turning ch.

Row 4: Ch 2, 2 bpdc, work Row 4 of 4-St Cable, 2 bpdc, [work Row 4 of Large Wheat Cable, 2 bpdc, work Row 4 of 4-St Cable, 2 bpdc] 3 times, hdc in turning ch.

Sizes 2X and 3X only

Sizing Note: This design will feature two 4-St Cables (instead of one as in the model shown in photos) for these sizes.

Set-up row: Dc in 3rd ch from hook and in each ch across. (100 sts, not including turning ch)

Row 1: Ch 1, starting in next st, [2 fpdc, (work Row 1 of 4-St Cable) twice, 2 fpdc, work Row 1 of Large Wheat Cable] 3 times, ending with 2 fpdc, [work Row 1 of 4-St Cable] twice, 2 fpdc, hdc in turning ch.

Row 2: Ch 1, [2 bpdc, (work Row 2 of 4-St Cable) twice, 2 bpdc, work Row 2 of Large Wheat Cable] 3 times, ending with 2 bpdc, [work Row 2 of 4-St Cable] twice, 2 bpdc, hdc in turning ch.

Row 3: Ch 1, [2 fpdc, (work Row 3 of 4-St Cable) twice, 2 fpdc, work Row 3 of Large Wheat Cable]

3 times, ending with 2 fpdc, [work Row 3 of 4-St Cable] twice, 2 fpdc, hdc in turning ch.

Row 4: Ch 1, [2 bpdc, (work Row 4 of 4-St Cable) twice, 2 bpdc, work Row 4 of Large Wheat Cable] 3 times, ending with 2 bpdc, [work Row 4 of 4-St Cable] twice, 2 bpdc, hdc in turning ch.


All Sizes

Rows 5–56 (60, 64, 68, 72, 78, 78): Repeat Rows 1–4 a total of 13 (14, 15, 16, 17, 18, 18) more times.

Next 3 rows: Repeat Rows 1–3 once more. Do not fasten off, but continue to Sleeves section. Piece should have dimensions shown on schematic.

SLEEVES

With RS together, fold along length to make a tube. (See diagram.) Continuing from last row worked, slip st both pieces together along edge for 12 rows (or approx. 4½" [11.5 cm]). Fasten off. Join with a slip st to other end for other sleeve. Slip st both pieces together and continue along edge for 12 rows (or approx. 4½"). Fasten off. Turn right side out.



STITCH KEY

○ chain (ch)

↑ half double crochet (hdc)

↓ double crochet (dc)

front post double crochet (fpdc)
back post double crochet (bpdc)

front post treble crochet (fptr)
→ indicates direction of rows or rounds

Row 10: Ch 1, (begin cabling rows) starting in next st [sc, dc] 1 (2, 3, 4, 5, 5) time(s), 4-St Post Cable [sk 2 sts, fpdc in next 2 sts, working in front of sts just made, fpdc in skipped sts], sc, dc, Wheat Cable [sk 2 sts, fpdc in next 2 sts, working in back of sts just made, fpdc in skipped sts, sk 2 sts, fpdc in next 2 sts working in front of last 2 sts, fpdc in skipped sts], sc, dc, 4-St Post Cable [sk 2 sts, fpdc in next 2 sts, working in front of sts just made, fpdc in skipped sts], [sc, dc] 6 times, do not work in turning ch, turn.

Row 11: Ch 1, [sc, dc] 6 times, 4 bpdc, sc, dc, 8 bpdc, sc, dc, 4 bpdc, [sc, dc] 1 (2, 3, 4, 5, 5) time(s), turn.

Rows 12–56 (58, 60, 60, 62, 62, 62): Repeat Rows 10 and 11 across, ending with a repeat of Row 10.

Row 57 (59, 61, 61, 63, 63, 63): Ch 1, slip st in first 4 sts, dc2tog in next 2 sts, continue in pattern st across to last 2 sts, dc2tog in last 2 sts (at neck edge), turn. (29 [31, 33, 35, 37, 37, 37] sts)

Row 58 (60, 62, 62, 64, 64, 64): Work in established patt to last 2 sts, dc2tog in last 2 sts, turn. (28 [30, 32, 34, 36, 36, 36] sts)

Row 59 (61, 63, 63, 65, 65, 65): Ch 1, dc2tog in first 2 sts, work in established patt to last 2 sts (at neck edge), dc2tog in last 2 sts, turn. (27 [29, 31, 33, 35, 35, 35] sts)

Row 60 (62, 64, 64, 66, 66, 66): Repeat Row 58 (60, 62, 62, 64, 64, 64). (26 [28, 30, 32, 34, 34, 34] sts)

Row 61 (63, 65, 65, 67, 67, 67): Work in established patt to last 2 sts, dc2tog in last 2 sts (at neck edge), turn. (25 [27, 29, 31, 33, 33, 33] sts)

Row 62 (64, 66, 66, 68, 68, 68): Work in established patt.

Next 4 rows: Repeat last 2 rows twice. (23 [25, 27, 29, 31, 31, 31] sts)

Row 67 (69, 71, 71, 73, 73, 73): Repeat Row 61 (63, 65, 65, 67, 67, 67). (22 [22, 26, 28, 30, 30, 30] sts)

Next 7 (8, 8, 9, 12, 13, 14) rows: Work in established pattern across 22 (24, 26, 28, 30, 30, 30) sts. Fasten off. Length of this piece should be same as Back piece.

LEFT FRONT PANEL

Ch 37 (39, 41, 43, 45, 45, 45).

Row 1: Dc in 3rd ch from hook and in each ch across [35 (37, 39, 41, 43, 43, 43) dc, not including turning ch], turn.

Row 2: (Begin ribbing rows) Ch 2, [fpdc, bpdc] across, hdc in turning ch, turn.

Row 3: Ch 2, [fpdc, bpdc] across, hdc in turning ch, turn.

Rows 4–9: Repeat Row 3.

Row 10: Ch 1, (begin cabling rows) sk first st, starting in next st [sc, dc] 6 times, 4-St Post Cable [sk 2 sts, fpdc in next 2 sts, working in front of sts just made, fpdc in skipped sts], sc, dc, Wheat Cable [sk 2 sts, fpdc in next 2 sts, working in back of sts just made, fpdc in skipped sts, sk 2 sts, fpdc in next 2 sts working in front of last 2 sts, fpdc in skipped sts], sc, dc, 4-St Post Cable [sk 2 sts, fpdc in next 2 sts, working in front of sts just made, fpdc in skipped sts], [sc, dc] 6 times, do not work in turning ch, turn.

Row 11: Ch 1, [sc, dc] 1 (2, 3, 4, 5, 5, 5) time(s), 4 bpdc, sc, dc, 8 bpdc, sc, dc, 4 bpdc, [sc, dc] 6 times, turn.

Rows 12–56 (58, 60, 60, 62, 62, 62): Repeat Rows 10 and 11 across, ending with a repeat of Row 10.

Row 57 (59, 61, 61, 63, 63, 63): Ch 1, dc2tog in **next** 2 sts (at neck edge), continue in established patt across to last 6 sts, dc2tog in next 2 sts, leaving rem 4 sts unworked, turn. (29 [31, 33, 35, 37, 37, 37] sts)



SLEEVE CAP

(Continuing from Sleeve instructions above)

Row 1: Slip st in first 4 sts, dc2tog in next 2 sts, work in established patt to last 6 sts, dc2tog in next 2 sts, turn, leaving remaining 4 sts unworked. (32 [34, 36, 40, 42, 46, 50] sts)

Row 2: Work in established patt across.

Row 3: Ch 1, dc2tog in first 2 sts, work in established patt to last 2 sts, dc2tog in last 2 sts, turn. (30 [32, 34, 38, 40, 44, 48] sts)

Rows 4–19 (21, 21, 23, 25, 27, 29): Repeat Rows 2 and 3 a total of 8 (8, 8, 9, 10, 11, 12) times. (14 [14, 16, 18, 18, 20, 22] sts)

FINISHING

Sew shoulder seams. Sew arms in place and then sew arm and side seams.

NECK BAND RIBBING

Row 1: With RS facing, join with a slip st to bottom right of sweater on Right Front Panel, ch 2, dc evenly (approx. 3 dc for every 2 row ends) along the row ends up the Right Front Panel, around neck edge, and down the Left Front Panel of sweater, turn.

Rows 2–4: Ch 2, [fpdc, bpdc] across, hdc in turning ch, turn. At the end of Row 4, mark the desired location for 3 large buttonholes on Left Front Panel.

Row 5: Ch 2, [fpdc, bpdc] to location of buttonhole, *ch 4, sk four sts, [fpdc, bpdc] to next buttonhole; repeat from * twice more, [fpdc, bpdc] to end of row, hdc in turning ch, turn.

Row 6: Ch 2, [fpdc, bpdc] to location of buttonhole sp, *4 dc in ch-4 sp, [fpdc, bpdc] to next buttonhole sp; repeat from * twice more, [fpdc, bpdc] to end of row, hdc in turning ch, turn.


Rows 7–9: Ch 2, [fpdc, bpdc] across, hdc in turning ch, turn. Fasten off at the end of Row 9.

Sew buttons in place. Weave in loose ends.


13 (13½, 14, 15½, 16, 17, 18½)
33 (34.5, 35.5, 39.5, 40.5, 43, 47) cm



16 (17, 18½, 19½, 21, 21, 21)
40.5 (43, 47, 49.5, 53.5, 53.5, 53.5) cm



7 (7½, 8, 8½, 9, 9, 9)
18 (19, 20.5, 21.5, 23, 23, 23) cm





COWL

Ch 112, join with a slip st to the first ch, being careful not to twist.

Rnd 1: (RS) Ch 2, dc in same ch as joining and in each ch around. Join with a slip st to first st of rnd. (112 sts, not including turning ch) Do not turn.

Rnd 2: (RS) Ch 2, [fpdc in 3 sts, bpdc in 1 st] around. Join with a slip st to first st of rnd. Do not turn.

Rnd 3: Repeat Rnd 2.

Rnd 4: (RS) Ch 2, [sk first 2 sts, fpṭr in next 2 sts, working in front of sts just worked, fpṭr in 2 skipped sts] around. Join with a slip st to first st of rnd. Turn.

Note: This rnd will help to establish the pattern that distinguishes the Celtic Weave stitch from the Four-Stitch Post Cable.

Rnd 5: (WS) Ch 2, *bptr in 2 sts, [sk 2 sts, bptr in next 2 sts, working behind sts just worked (on RS they will cross in front), bptr in 2 skipped sts] twice, bptr in next 2 sts, bptr in next 4 sts (for 4-St Post Cable); rep from * around. Join with a slip st to first st of rnd. Turn.

Rnds 6–11: Repeat Rnds 4 and 5 three more times.

Rnd 12: Repeat Rnd 4.

Rnd 13: (WS) Bpdc in each st around. Join with a slip st to first st of rnd. Turn.

Rnds 14–16: (RS) Repeat Rnd 2. Finish off at the end of Rnd 16.

FINISHING

Weave in loose ends.



PANELS (Make 2)

Ch 64.

Row 1: Dc in 4th ch from hook and in each ch across, turn. (62 sts)

Row 2: (RS) Ch 2, fpdc, sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc in next st, * (Honeycomb Cables) [sk 2 sts, fptr in next 2 sts, working behind last 2 sts, fptr in skipped sts, sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts] twice**, bpdc in next st, fpdc in next 2 sts, bpdc in next st, (Wheat Cable) [sk 2 sts, fptr in next 2 sts, working behind last 2 sts, fptr in skipped sts, sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts], bpdc in next st, fpdc in next 2 sts, bpdc in next st, rep between * and ** once, fpdc, sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc in next st, hdc in turning ch, turn.

Row 3: Ch 2, bpdc over 22 sts, fpdc, 2 bpdc, fpdc, 8 bpdc, fpdc, 2 bpdc, fpdc, bpdc over last 22 sts, hdc in turning ch, turn.

Row 4: Ch 2, fpdc, sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc

in next st, * (Honeycomb Cable) [sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in skipped sts, sk 2 sts, fptr in next 2 sts, working behind last 2 sts, fptr in 2 skipped sts] twice**, bpdc in next st, fpdc in next 2 sts, bpdc in next st, (Wheat Cable) [sk 2 sts, fptr in next 2 sts, working behind last 2 sts, fptr in skipped sts, sk 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts], bpdc in next st, fpdc in next 2 sts, bpdc in next st, rep between * and ** once, fpdc, sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, fpdc in next st, hdc in turning ch, turn.

Row 5: Repeat Row 3.

Rows 6–69: Repeat Rows 2–5 sixteen more times, do not fasten off.

PERIMETER

Rnd 1: With RS facing, ch 1, *work 61 sc across, ch 2, rotate work 90 degrees, work 112 sc evenly across long edge of panel, ch 2, rotate work 90 degrees, rep from * once, slip st in first sc to join. Fasten off. (346 sc, 4 ch-2 corners)



VICKI'S SWEATER



This special no-sew pullover sweater is named in honor of one of my very special friends who has been a great inspiration to me in many ways, not the least of which is in her use of color in her beautiful crocheted creations. I hope you enjoy not having to sew this one together as much as I do! These stitches embody a lot of elasticity to fit most figures beautifully.

SKILL LEVEL

Intermediate

YARN

DK (#3) weight yarn.

Shown here: Berroco Vintage DK (52% acrylic, 40% wool, 8% nylon; 288 yds [263 m]/100 g): MC #2101 Mochi, 4 [5, 6, 7, 7, 8, 8] hanks; CC1 #2155 Delphinium, 1 hank; CC2 #2114 Aster, 1 hank.

HOOKS

Size H/8 (5 mm).

Adjust hook size if necessary to obtain gauge.

NOTIONS

Locking stitch markers.

2 buttons, $\frac{1}{2}$ " (1.3 cm) in diameter, sizes XS and S only.

Yarn needle.

SIZES/FINISHED DIMENSIONS

XS (S, M, L, XL, 2X, 3X). See schematics for measurements.

GAUGE

7 clusters and 14 cluster rows = 4" (10 cm).

SPECIAL STITCHES

Celtic Weave

Cluster

Working over a sample of 20 sc:

Row 1: Ch 1, *(sc, ch 1, dc) in next st (one cluster made), sk next st; repeat from * across, turn.

Row 2: Ch 1, *(sc, ch 1, dc) in next ch-1 sp; rep from * across, turn.

PATTERN NOTES

Unless otherwise stated, join with a slip st to first st of rnd (not the turning chain).

The even rnds have the RS facing; the odd-numbered rnds have the WS facing.

The XS and S sizes will have a button closure at the collar; the other sizes will not.

COLLAR

Sizes XS and S only

Using CC1, ch 59 (67).

Row 1: Dc in 3rd ch from hook (skipped chs do not count as dc) and in each ch across, turn. (57 [65] sts)

Row 2: Ch 3, sk first st, [sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, 2 dc between last dc worked and next dc] across, dc in turning ch, turn. (85 [97] sts)

Row 3: Ch 2, [2 dc in each of next 2 dc, bpdc in next 4 tr (cable from previous row)] across, join with slip st in first dc of row to continue working in the rnd, turn. (112 [128] sts)

Directions for Rnd 4 are listed below under "All sizes."

Sizes M, L, XL, 2X, and 3X only

Using CC1, ch 72 (80, 88, 96, 104) and join to first ch to form ring.

Rnd 1: Ch 2, dc in same space as joining and in each ch around, turn. (72 [80, 88, 96, 104] sts)

Rnd 2: Ch 3, [sk first two sts, fptr in next 2 sts, working in front of last 2 sts, fptr in 2 skipped sts, 2 dc between last dc and next dc] around, turn. (108 [120, 132, 144, 156] sts)

Rnd 3: Ch 2, [2 dc in each of next 2 dc, bpdc in next 4 tr (cable from previous row)] around, join with slip st to first st of rnd, turn. (144 [160, 176, 192, 208] sts)

All sizes

The following **rnd** begins the Celtic Weave stitch.

Change to CC2.

Rnd 4: (RS) Ch 3, place marker in turning ch, sk first 4 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in last 2 skipped sts, [sk next 2 sts, fptr in next 2 sts, working in front of last 2 sts, fptr in last 2 skipped sts] around, join with a slip st in top of first st of rnd, turn.

Rnd 5: Ch 3, (move marker to top of turning ch this rnd and each rnd of yoke), sk first 4 sts, bptr in next 2 sts, working behind 2 sts just worked, bptr in 3rd and 4th skipped sts (the first 2 sts of the 4 sts skipped will be the last 2 sts worked on this row). [Sk next two sts, bptr in next 2 sts, bptr in 2 skipped sts] around, sk last 2 sts of rnd, bptr in skipped sts at beg of rnd, working behind 2 sts just worked, bptr in 2 last skipped sts, join with slip st in turning ch, turn.

Change to MC.

Rnds 6 and 7: Repeat Rnds 4 and 5.

Change to CC2.

Rnds 8 and 9: Repeat Rnds 4 and 5.

Change to CC1.

Rnds 10 and 11: Repeat Rnds 4 and 5.

Change to MC.

Rnd 12: Ch 1, move marker to this ch, *(sc, ch 1, dc) in first st (one cluster made), sk next st; repeat from * around, join with slip st in first st of rnd, turn. (56 [64, 72, 80, 88, 96, 104] clusters)

Rnd 13: Ch 1, move marker to this ch, (sc, ch 1, dc) in next ch-1 sp (of cluster) and in each ch-1 sp around, join with slip st in first sc of rnd, turn.

Rnds 14 and 15: Repeat Rnd 13. Fasten off.

FRONT OF YOKE

With RS facing, from marked st at center of Back, working clockwise around Yoke, count 16 (19, 21, 24, 27, 30, 34) ch-sps and mark next ch-sp, labeling it marker A. From center marker, working counterclockwise around Yoke, count 11 (13, 14, 16, 16, 17, 17) sts and mark next st, labeling it marker B.

Row 1: With RS facing, join yarn with slip st in ch-sp marked A, ch 1, (sc, ch 1, dc) in same st, (sc, ch 1, dc) in next (23 [26, 29, 32, 33, 34, 35] ch-1 spaces, sc in next sc, leaving remaining sts unworked, turn. (24 [27, 30, 33, 34, 35, 36] total clusters plus one sc)

Rows 2–9 (11, 11, 13, 15, 17, 19): Ch 1, (sc, ch 1, dc) in next 24 [27, 30, 33, 34, 35, 36] ch-1 spaces, sc in top of first sc of last row, turn. Fasten off at end of Row 9 (11, 11, 13, 15, 17, 19).

BACK OF YOKE

Row 1: With RS facing, join yarn with slip st in ch-sp marked B, ch 1, (sc, ch 1, dc) in same st, (sc, ch 1, dc) in next (23 [26, 29, 32, 33, 34, 35] ch-1 spaces, sc in next sc, leaving remaining sts unworked, turn. (24 [27, 30, 33, 34, 35, 36] total clusters plus one sc)

Rows 2–9 (11, 11, 13, 15, 17, 19): Ch 1, (sc, ch 1, dc) in next 24 [27, 30, 33, 34, 35, 36] ch-1 spaces, sc in top of first sc of last row, turn.

DO NOT FASTEN OFF at end of Row 9 (11, 11, 13, 15, 17, 19). Continue to next rnd to connect front and back.

CONNECTING FRONT AND BACK

Sizes XS, S, M, L, and XL only

Next rnd: (WS) Ch 1, (sc, ch 1, dc) in each ch-sp across back Yoke and then in each ch-sp across front Yoke, join with slip st in first ch 1, turn.

Next rnd: (RS) Ch 1, (sc, ch 1, dc) in each ch-sp around, join with slip st in first ch 1, turn. (48 [52, 60, 66, 68] clusters)

Sizes 2X and 3X only


Next rnd: (WS) Ch 1, (sc, ch 1, dc) in each ch-sp across back Yoke, ch [4, 6], (sc, ch 1, dc) in each ch-sp across front Yoke, ch [4, 6], join with slip st in first ch, turn.

Next rnd: (RS) Ch 1, *sk first ch, (sc, ch 1, dc) in next ch, [sk next ch, (sc, ch 1, dc) in next ch] [once, twice] more, (sc, ch 1, dc) in next ch-sp across, to next connecting ch; rep from * around, join with slip st in first ch, turn. (74 [78] clusters)




Instructions for only sizes XS and S include the button closure; the button closure ensures the sweater will fit over the wearer's head. The sweater may be worn with the buttons in the front or the back.

VICKI'S SWEATER MAIN STITCH



VICKI'S SWEATER YOKE STITCH



STITCH KEY

- slip st
- chain (ch)
- ×
- double crochet (dc)
- front post treble crochet (fptr)
- back post treble crochet (bptr)

All sizes

Next 41 (41, 41, 41, 41, 43, 43) rnds: Ch 1, (sc, ch 1, dc) in each ch-sp around, join with slip st in first ch 1, turn.

BOTTOM RIBBING

Set-up rnd: (RS) Ch 1, 2 sc in each of next 3 ch-1 sps, 3 sc in each of next 21 (23, 27, 30, 31, 33, 36) ch-sps, 2 sc in each of next 3 ch-1 sps, 3 sc in each ch-sp around, join with slip st in first ch, do not turn. (138 [156, 174, 192, 210, 231, 249] sts)

Row 1: Ch 6, sc in 2nd ch from hook and in next 4 chs, slip st in each of next 2 sts from Set-up rnd, turn.

Row 2: Ch 1, sc BLO in next 5 sts, turn.

Row 3: Ch 1, sc BLO in next 5 sts, slip st in each of next 2 sts from Set-up rnd, turn.

Rep Rows 2 and 3 around bottom of body.

Work last row by joining to first set of 5 sc using slip sts.

Fasten off.



COLLAR TRIM AND RIBBING

Sizes XS and S only

Set-up row for button opening: With RS facing, join at bottom of button opening on left side with a slip st, ch 1, work 4 sc evenly along opening to Collar foundation ch at top, ch 1, sc in same sp and in each ch of foundation ch. (DO NOT work on right side button opening.)

Do not fasten off.

Row 1: Ch 6, sc in 2nd ch from hook and in next 4 chs, slip st in each of next 2 sts from Set-up row, turn.

Row 2: Ch 1, sc BLO in next 5 sts, turn.

Row 3: Ch 1, sc BLO in next 5 sts, slip st in each of next 2 sts from Set-up row, turn.

Rep Rows 2 and 3 around neck opening.

Fasten off.

BACK BUTTON OPENING

Sizes XS and S only

Row 1: Work last row of ribbing, then continue working sc down left button opening and continuing up right side, working sc to top of ribbing, turn.

Row 2: Ch 1, sc in first st, ch 2, sk 2 (for first button-hole), sc in next 4 sts, ch 2, sk 2 (for second buttonhole), sc in next 2 sts or to end of right side, turn.

Row 3: Ch 1, sc in 2 sc, 2 sc in ch-2 sp, sc in next 4 sts, 2 sc in ch-2 sp, sc in last st, turn.

Row 4: Ch 1, sc in each sc on right side of button opening, slip st in next st, fasten off.

Sew buttons in place.

Sizes M, L, XL, 2X, and 3X only

Set-up rnd: With RS facing, join with slip st at center Back neck, ch 1, sc in opposite side of each ch of foundation rnd, join with a slip st to first st of rnd.

Row 1: Ch 6, sc in 2nd ch from hook and in next 4 chs, slip st in each of next 2 sts from Set-up rnd, turn.

Row 2: Ch 1, sc BLO in next 5 sts, turn.

BACK

With larger hook, ch 60 (68, 76, 76, 84, 84, 84).

Row 1: Dc in 4th ch from hook and in each ch across, turn. (57 [65, 73, 73, 81, 81, 81] dc, not including turning ch)

Row 2: (RS) Ch 2, sk first st, [fpdc in next 3 sts, hdc in next st] across, ending with hdc in turning ch (here and throughout unless otherwise stated), turn.

Row 3: Ch 2, sk hdc, [bpdc in next 3 sts, hdc] across, turn.

Row 4: Ch 2, sk hdc, [sk next 3 sts, hdc in next hdc, fpdc in next 3 sts, working in front of last 4 sts, fpdc in 3 post sts just skipped, hdc in next hdc] across, turn.

Row 5: Ch 2, [3 bpdc, hdc in between last st and next st (or space in center of cable), 3 bpdc, hdc in next hdc] across, turn.

Rows 6–9: Repeat Rows 2 and 3 twice more.

Rows 10–15: Repeat Rows 4–9.

Rows 16–17 (17, 19, 19, 21, 21, 23): Repeat Rows 4–5 (5, 7, 7, 9, 9, 11).

Row 18 (18, 20, 20, 22, 22, 24): Ch 2, (1 dc, 1 hdc) in first st, work in established patt across to last hdc, (1 hdc, 1 dc, 1 hdc) in turning ch, turn. (61 [69, 77, 77, 85, 85, 85] sts)

Row 19 (19, 21, 21, 23, 23, 25): Ch 2, dc in first st, 2 dc in next st, hdc in next hdc, work in established patt across to last 3 sts, hdc in next hdc, 2 dc in next 2 sts, [dc, hdc] in turning ch, turn. (65 [73, 81, 81, 89, 89, 89] sts)

Row 20 (20, 22, 22, 24, 24, 26): Ch 2, 2 dc in first st, [dc, hdc] in next dc, 2 dc in next dc, dc in next dc, hdc in next hdc, work in established patt across, ending with [hdc, dc] in hdc, 2 dc in next dc, [hdc, dc] in next dc, 2 dc in next dc, dc in next 2 dc, hdc in turning ch, turn. (73 [81, 89, 89, 97, 97, 97] sts)

Sizes XS, S, M, L, and XL only

Rows 21–40 (21–40, 23–46, 23–46, 25–52): Work in established pattern, incorporating cable twists over new sts on both sides.

Sizes 2X and 3X only

Row (25, 27): Work even in established pattern, incorporating cable twists over new sts on both sides.

Rows (26–29, 28–31): Rep Rows (22–25, 24–27). (113 [113] sts)

Rows (30–52, 32–58): Work even in established patt, incorporating cable twists over new sts on both sides.

BOTTOM RUFFLE

Row 1: Ch 2, work next 7 cable sts as established, [2 hdc in next hdc, hdc in next hdc, work next 7 cable sts as established] across to turning ch, hdc in turning ch, turn. (81 [90, 99, 99, 108, 126, 126] sts)

Row 2: Ch 2, work next 7 cable sts as established, [2 hdc in next hdc, hdc in next hdc, work next 7 cable sts as established] across to turning ch, hdc in turning ch, turn. (89 [99, 109, 109, 119, 139, 139] sts)

Row 3: Ch 2, work next 7 cable sts as established, [2 hdc in next hdc, hdc in next 2 sts, work next 7 cable sts as established] across to turning ch, hdc in turning ch, turn. (97 [108, 119, 119, 130, 152, 152] sts)

Rows 4 and 5: Ch 2, work next 7 cable sts as established, [4 hdc, work next 7 cable sts as established] across to turning ch, hdc in turning ch, turn.

Row 6: Ch 2, work next 7 cable sts as established, [2 hdc in next hdc, hdc in next 3 hdc, work next 7 cable sts as established] across to turning ch, hdc in turning ch, turn. (105 [117, 129, 129, 141, 165, 165] sts)

Rows 7–13: Ch 2, work next 7 cable sts as established, [5 hdc, work next 7 cable sts as established] across to turning ch, hdc in turning ch. Fasten off.

RIGHT FRONT PANEL (Wider Panel)

With larger hook, ch 60 (68, 76, 84, 84, 92, 92).

Row 1: Dc in 4th ch from hook and in each ch across, turn. (57 [65, 73, 81, 81, 89, 89] dc, not including turning ch)

Rows 2–17: Work as for Back Rows 2–17.

Work next 3 (3, 3, 3, 3, 7, 7) rows of left side of Back shaping on left edge of work (to fit right armhole). (65 [73, 81, 89, 89, 105, 105] sts)

Work right armhole same as Back directions. Do not increase to left side of panel.

Work rows 1–13 of Bottom Ruffle. (101 [117, 129, 141, 141, 177, 177] sts)

SLEEVES (Make 2)

Using larger hook, ch 33 (33, 33, 37, 37, 45, 53).

Row 1: Dc in 4th ch and each ch across, turn. (30 [30, 30, 34, 34, 42, 50] dc)

Row 2: (RS) Ch 2, sk first st, 10 (10, 10, 12, 12, 16, 20) fpdc, [hdc in next st, 3 fpdc] twice, hdc in next st, 10 (10, 10, 12, 12, 16, 20) fpdc, hdc in turning ch, turn. (30 [30, 30, 34, 34, 42, 50] sts)

Row 3: Ch 2, sk first st, 10 (10, 10, 12, 12, 16, 20) bpdc, [hdc in next st, 3 bpdc] twice, hdc in next st, 10 (10, 10, 12, 12, 16, 20) fbpdc, hdc in turning ch.

Row 4: Ch 2, dc in st at base of ch-2 (inc made), 10 (10, 10, 12, 12, 16, 20) fpdc, hdc in next st, sk 3 sts, hdc in next st, 3 fptr over next 3 sts, working in front of last 4 sts, fptr in 3 skipped post sts, hdc in next st, 10 (10, 10, 12, 12, 16, 20) fpdc, (dc, hdc) in turning ch (inc made), turn. (32 [32, 32, 36, 36, 44, 52] sts)

Row 5: Ch 2, sk first st, 11 (11, 11, 13, 13, 17, 21) bpdc, hdc in next st, 3 bpdc, hdc between last st and next st (center of cable), 3 bpdc, sk next hdc, hdc in next hdc, 11 (11, 11, 13, 13, 17, 21) bpdc, hdc in turning ch, turn.

Row 6: Ch 2, work fpdc across to center 9 sts, work cable as established, fpdc across, ending with hdc in turning ch, turn.

Row 7: Ch 2, dc in st at base of ch-2, work bpdc across to center 9 sts, work cable as established, bpdc across to last st, (dc, hdc) in last st, turn. (34 [34, 34, 38, 38, 46, 54] sts)

Rows 8 and 9: Work in established patt across, turn.

Row 10: Ch 2, dc in st at base of ch-2, work fpdc across to center 9 sts, work cable as established, fpdc across to last st, (dc, hdc) in last st, turn. (36 [36, 36, 40, 40, 48, 56] sts)

Rows 11–13: Work in established patt across, turn.

Row 14: Rep Row 10. (38 [38, 38, 42, 42, 50, 58] sts)

Rows 15 and 16: Work in established patt across, turn.

Row 17: Rep Row 7. (40 [40, 40, 44, 44, 52, 60] sts)

Rows 18–20: Work in established patt across, turn.

Row 21: Rep Row 7. (42 [42, 42, 46, 46, 54, 62] sts)

Rows 22 and 23: Work in established patt across, turn.

Row 24: Rep Row 10. (44 [44, 44, 48, 48, 56, 64] sts)

Rows 25–27: Work in established patt across, turn.

Row 28: Rep Row 10. (46 [46, 46, 50, 50, 58, 66] sts)

Rows 29 and 30: Work in established patt across, turn.

Row 31: Rep Row 7. (48 [48, 48, 52, 52, 60, 68] sts)

Rows 32–34: Work in established patt across, turn.

Row 35: Rep Row 7. (50 [50, 50, 54, 54, 62, 70] sts)

Rows 36 and 37: Work in established patt across, turn.

Row 38: Rep Row 10. (52 [52, 52, 56, 56, 64, 72] sts)

Rows 39–41: Work in established patt across, turn.

Row 42: Rep Row 10. (54 [54, 54, 58, 58, 66, 74] sts)

Sizes XS, S, and M only

Skip remaining rows and begin Sleeve Cap.

Sizes L, XL, 2X, and 3X only

Rows 43 and 44: Work in established patt across, turn.

Sizes 2X and 3X only

Rows 45 and 46: Work in established patt across, turn.

SLEEVE CAP

All sizes

Row 1: Ch 1, sk first st, slip st in next 3 sts, hdc2tog in next 2 sts, work in pattern st to last 5 sts and turning ch, hdc2tog in next 2 sts, turn, leaving remaining sts unworked. (44 [44, 44, 48, 48, 56, 64] sts)

Row 2: Ch 1, hdc2tog in next 2 sts, work in pattern sts to last st and turning ch, hdc2tog in next 2 sts. (42 [42, 42, 46, 46, 54, 62] sts)

Rows 3–14: Repeat Row 2. (18 [18, 18, 22, 22, 30, 38] sts)

Sizes L, XL, 2X, 3X only

Rows 15 and 16: Repeat Row 2. (18 [18, 26, 34] sts)

Sizes 2X and 3X only


Rows 17 and 18: Repeat Row 2. Finish off. (22 [30] sts)

All sizes

Fasten off.

BINNE CARDIGAN DIAGRAMS WITHOUT BOTTOM RUFFLE

$10\frac{3}{4}$ ($12\frac{3}{4}, 12\frac{3}{4}, 13\frac{1}{2}, 13\frac{1}{2}, 15\frac{1}{2}, 17\frac{1}{2}$)"
 27.5 (32, 32, 34.5, 34.5, 39.5, 44.5) cm



6 ($7, 7, 8\frac{3}{4}, 8\frac{3}{4}, 10\frac{1}{2}, 12\frac{1}{2}$)"
 15 (18, 18, 22, 22, 26.5, 31.5) cm

$6\frac{3}{4}$ ($6\frac{3}{4}, 7\frac{1}{2}, 7\frac{1}{2}, 8\frac{1}{2}, 8\frac{1}{2}, 9\frac{1}{4}$)"
 17 (17, 19, 19, 21.5, 21.5, 23.5) cm

34.5 (38, 43, 48.5, 48.5, 53.5, 53.5) cm

right
front

15 (17, 19, 21, 21, 24 $\frac{1}{2}$, 24 $\frac{1}{2}$)"
 38 (43, 48.5, 53.5, 53.5, 62, 62) cm


21 ($21, 23\frac{1}{2}, 23\frac{1}{2}, 26, 26, 28\frac{1}{2}$)"
 53.5 (**53.5**, 59.5, 59.5, 66, 66, 72.5) cm

17 ($17, 21, 21, 22\frac{3}{4}, 22\frac{3}{4}, 26\frac{1}{2}$)"
 43 (43, 53.5, 53.5, 58, 58, 67.5) cm

back

17 ($19, 21, 21, 23, 23, 23$)"
 43 (48.5, 53.5, 53.5, 58.5, 58.5, 58.5) cm

6 ($6, 6, 6, 6, 8, 8$)"
 15 (15, 15, 15, 15, 20.5, 20.5) cm



21 ($21, 23\frac{1}{2}, 23\frac{1}{2}, 26, 26, 28\frac{1}{2}$)"
 53.5 (**53.5**, 59.5, 59.5, 66, 66, 72.5) cm

left
front

$7\frac{1}{2}$ ($7\frac{1}{2}, 7\frac{1}{2}, 7\frac{1}{2}, 7\frac{1}{2}, 11\frac{1}{2}, 11\frac{1}{2}$)"
 19 (19, 19, 19, 19, 29, 29) cm



CELTIC WEAVE (MULTIPLE OF 4 STS)



Row 1: With RS facing, ch 2, sk the first 3 sts. Fptr around the next 2 sts.



Working in front of the last 2 sts, fptr around the last 2 skipped sts.



* Sk 2 sts, fptr around the next 2 sts.



Working in front of the last 2 sts, fptr around the 2 skipped sts. Repeat from * across row as needed. Dc in turning ch, turn.



Row 2: Ch 2. With WS facing, bptr in each of the next 2 sts.



* Sk 2 sts, bptr around each of the next 2 sts.



Working in front of the last 2 sts (will cross in front on right side), bptr around each of the 2 skipped sts. Repeat from * across or as needed. End by working 2 bptr around last 2 post sts, dc in the last st or turning ch.



Completed example of Celtic Weave st.

TIP

Since it's much easier to feel these stitches than it is to see them, you may find it helpful to use the thumb and fingers of the hand holding the yarn to help guide your hook to the two stitches in Step 7.



Row 5: Ch 2, hdc in first hdc, [fpdc in each of next 3 sts, hdc in next hdc] four times. Hdc in next (or last) st. Turn.



Row 6: Ch 2, hdc in first hdc, [bpdc in each of next 3 sts, hdc in next hdc] four times. Hdc in next (or last) st. Turn.

(For a more elongated Honeycomb Cable, repeat Rows 5 and 6 as needed.)



Row 7: Hdc in first hdc, sk next 3 post sts, hdc in next hdc, fptr in each of next 3 post sts.



Working in front of last 4 sts, fptr in last 3 skipped sts, hdc in next hdc.



Skip next 3 post sts, hdc in next hdc, fptr in each of next 3 post sts.



Working behind last 4 sts, fptr in each of the 3 skipped post sts. Hdc in next hdc. Turn.



Row 8: Hdc in first st (hdc), ***bpdc in each of next 3 sts, hdc in between last st and next st (center of cable), bpdc in each of next 3 sts, hdc in next hdc, repeat from *** once more. Hdc in next (or last) st. Turn.



Row 9: Ch 2, hdc in first hdc, [fpdc in each of next 3 sts, hdc in next hdc] four times. Hdc in next (or last) st.



Completed example of Large Honeycomb Cable.



LARGE AND ELONGATED POST CABLE



Row 1: (Worked into a row of hdc or dc) Ch 2, hdc into first st, [fpdc in each of next 3 sts, hdc in next st] across or as needed per pattern instructions. Turn.

Row 2: Ch 2, hdc in first hdc, [bpdc in each of next 3 sts, hdc in next hdc] four times. Hdc in next (or last) st. Turn.

Row 3: Ch 2, hdc in first st, *sk next 3 post sts, hdc in next hdc.



Fptr in each of next 3 post sts.

Working in front of last 4 sts worked, fptr in 3 skipped sts. Repeat from * as needed for more cables across row. End by working dc in last st or in turning ch. Turn.

Row 4: Ch 2, hdc in first hdc, *bpdc in each of next 3 post sts, hdc in between last st and next st (center of cable).



Bpdc in each of next 3 post sts, hdc in next hdc, repeat from * across row as needed per pattern instructions. Hdc in last st or turning ch. Turn.

Row 5: Ch 2, hdc in first hdc, [fpdc in each of next 3 sts, hdc in next hdc] across row as needed. Hdc in next (or last) st. Turn.

Row 6: Ch 2, hdc in first hdc, [bpdc in each of next 3 sts, hdc in next hdc] across row as needed. Hdc in next (or last) st. Turn.